



SAFETY DATA SHEET

OPTIMUM CARBIDE BUR

SECTION 1. Identification

Product Name: Carbide Bur
Identified uses: Invasive surgical medical device intended for use. Temporary continuous less than 60 minutes.

Product code(s): Optimum Carbide Bur
Supplier's details: BENCO DENTAL
295 CenterPoint Boulevard, Pittston, PA 18640
1-800-GO-BENCO (1-800-462-3626)
www.benco.com

Emergency telephone: CHEMTREC (24-HR Emergency Telephone), call: 1-800-424-9300
International CHEMTREC, call: 1-703-527-3887

SECTION 2. Hazards Identification

2.1. Classification of the Substance or Mixture

Classification (GHS-US)

Within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]: this product is considered a manufactured article and is not considered a hazard when used in a manner which is consistent with the labeled directions

2.2. Label Elements GHS-US Labeling

No labeling applicable

2.3. Other Hazards

During normal operation and usage, cemented carbide products do not present inhalation, ingestion, or other chemical hazards. However, operations such as grinding, cutting, burning, and welding of such products may release dusts, fumes, or vapors which may present health hazards. The health hazards described below relate to these non-routine operations, as well as exposure to component materials. Wet or dry grinding of cemented carbide products will produce dusts of potentially hazardous ingredients which can be inhaled, swallowed, or come in contact with the skin or eyes. During wet grinding, the dust can be suspended or dissolved in the coolant mist.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3. Composition/Information on Ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%	Classification (GHS-US)
Tungsten carbide	(CAS No) 12070-12-1	10 - 94	Not classified
Titanium carbide (TiC)	(CAS No) 12070-08-5	0.2 - 53	Not classified
Cobalt	(CAS No) 7440-48-4	0 - 20	Acute Tox. 4 (Oral), H302 Acute Tox. 1 (Inhalation: dust,mist), H330 Resp. Sens. 1B, H334 Skin Sens. 1, H317 Carc. 2, H351 Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Nickel	(CAS No) 7440-02-0	0 - 15	Skin Sens. 1, H317 Carc. 2, H351 STOT RE 1, H372 Aquatic Chronic 3, H412
Titanium carbide (TaC)	(CAS No) 12070-06-3	0 - 15	Not classified
Niobium carbide (Nb2C)	(CAS No) 12011-99-3	0 - 5	Not classified
Chromium	(CAS No) 7440-47-3	0 - 3	Comb. Dust, h332
Chromium carbide (Cr3C2)	(CAS No) 12012-35-0	0 - 3	Not classified
Aluminum oxide	(CAS No) 1344-28-1	0 - 2	Not classified
Boron oxide (B2O3)	(CAS No) 1303-86-2	0 - 2	Repr. 1B, H360
Zirconium	(CAS No) 7440-67-7	0 - 2	Pyr. Sol. 1, H250 Self-heat. 1, H251 Water-react. 1, H260
Molybdenum	(CAS No) 7439-98-7	0 - 2	Comb. Dust, H232

Full text of H-phrases: see section 16

SECTION 4. First-Aid Measures

4.1. Description of First Aid Measures

First-aid Measures General:

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

First-aid Measures After Inhalation:

When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact:

Wash with plenty of soap and water. Obtain medical attention if irritation develops or persists.

First-aid Measures After Eye Contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

First-aid Measures After Ingestion:

If substantial quantities are swallowed, dilute with large amount of water. Induce vomiting and seek medical attention..

4.2. Main symptoms and effects, both acute and delayed.

Symptoms/Injuries:

None expected under normal conditions of use.

Symptoms/Injuries After Inhalation:

Dust from this product may cause irritation to the respiratory tract.

Symptoms/Injuries After Skin Contact:

No Dust may cause irritation in skin folds or by contact in combination with tight clothing. Skin exposure can cause an allergic red rash (cobalt itch).

Symptoms/Injuries After Eye Contact:

Eye contact with dust may cause mechanical irritation.

Symptoms/Injuries After Ingestion:

Give large volumes of water. Do not induce vomiting. Obtain medical attention or consult a physician if ingested in large amounts.

Chronic Symptoms:

Chronic exposure to respirable dust containing cobalt and tungsten carry the potential to cause permanent respiratory diseases, including occupational asthma, interstitial pneumonitis and fibrosis (hard-metal disease), and emphysema. Symptoms include productive cough, wheezing, dyspnea (upon exertion), pleuritic chest pain, and weight loss. Reports outside the industry suggest that ingestion of significant amounts of cobalt can cause blood, heart, and other organ effects. Cobalt metal with tungsten carbide is listed by IARC as Group 2A - probably carcinogenic to humans. Nickel is listed by IARC as Category 2B possibly carcinogenic to humans.

Cobalt is listed by ACGIH as an animal carcinogen (A3). Cobalt and nickel are known to the State of California to cause cancer. Nickel is considered reasonably anticipated to be a carcinogen by NTP.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

SECTION 5. Fire-Fighting Measures

5.1. Suitable Extinguishing Media:

Suitable Extinguishing Media:

Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂).

Unsuitable Extinguishing Media:

Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture Fire Hazard:

Not considered flammable but may burn at high temperatures..

Explosion Hazard:

Dusts may present a fire or explosion hazard under rare favoring conditions of particle size, dispersion, concentration, and strong ignition source. However, this is not expected to be a problem under normal handling conditions.

Reactivity:

Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters:

Precautionary Measures Fire:

Exercise caution when fighting any chemical fire.

Firefighting Instructions:

Do not breathe fumes or vapors from fire.

Protection During Firefighting:

For a dust fire confined to a small area, use a respirator approved for toxic dusts and fumes. For a large fire involving this material, fire fighters should use a self-contained breathing apparatus.

Other Information:

Refer to Section 9 for flammability properties.

SECTION 6. Accidental Release Measures

6.1. Personal Precautions, Protective Equipment, and Emergency Procedures

6.1.1. For Non-emergency Personnel

Protective Equipment:

Use appropriate personal protection equipment (PPE).

Emergency Procedures:

Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel:

Protective Equipment:

Equip cleanup crew with proper protection.

Emergency Procedures:

Eliminate ignition sources. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment:

Contain and collect as any solid.

Methods for Cleaning Up:

Clean up spills immediately and dispose of waste safely. Avoid actions that cause dust to become airborne during clean-up such as dry sweeping or using compressed air. Use HEPA vacuum or thoroughly wet with water to clean-up dust. Use PPE described in Section 8. Transfer spilled material to a suitable container for disposal.

6.4. Reference to other sections

See heading 8, Exposure Controls and Personal Protection. Concerning disposal elimination after cleaning, see item 13.

SECTION 7. Handling and Storage

7.1. Precautions for safe handling.

Additional Hazards When Processed:

Use care during processing to minimize generation of dust. Avoid dust production that exceeds permissible exposure limits.

Hygiene Measures::

Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

7.2. Conditions for Safe Storage, Including Any Incompatibilities Storage Conditions:

Store in a dry, cool and well-ventilated place.

7.3. Specific End Use(s).

No additional information available.

SECTION 8. Exposure Control/Personal Protection

8.1. Control Parameters.

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), or OSHA (PEL).

Aluminum oxide (1344-28-1)		
USA ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
Boron oxide (B2O3) (1303-86-2)		
USA ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	10 mg/m ³
USA IDLH	US IDLH (mg/m ³)	2000 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust)
Chromium (7440-47-3)		
USA ACGIH	ACGIH TWA (mg/m ³)	0.5 mg/m ³
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	0.5 mg/m ³
USA IDLH	US IDLH (mg/m ³)	250 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	1 mg/m ³
Cobalt (7440-48-4)		
USA ACGIH	ACGIH TWA (mg/m ³)	0.02 mg/m ³
USA ACGIH	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	0.05 mg/m ³ (dust and fume)
USA IDLH	US IDLH (mg/m ³)	20 mg/m ³ (dust and fume)
USA OSHA	OSHA PEL (TWA) (mg/m ³)	0.1 mg/m ³ (dust and fume)
Nickel (7440-02-0)		
USA ACGIH	ACGIH TWA (mg/m ³)	1.5 mg/m ³ (inhalable fraction)
USA ACGIH	ACGIH chemical category	Not Suspected as a Human Carcinogen
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	0.015 mg/m ³
USA IDLH	US IDLH (mg/m ³)	10 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	1 mg/m ³
Zirconium (7440-67-7)		
USA ACGIH	ACGIH TWA (mg/m ³)	5 mg/m ³
USA ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³

8.2. Exposure Controls

Appropriate Engineering Controls:

Use local exhaust or general dilution ventilation or other suppression methods to maintain dust levels below exposure limits. Power equipment should be equipped with proper dust collection devices. Ensure all national/local regulations are observed.

Personal Protective Equipment:

Not generally required. The use of personal protective equipment may be necessary as conditions warrant.

Materials for Clothing Protection:

Chemically resistant materials and fabrics.

Hand Protection:

Chemically resistant gloves are recommended, but not required..

Eye Protection:

Chemical safety goggles.

Skin and Body Protection:

Wear suitable protective clothing.

Respiratory Protection:

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

SECTION 9. Physical and Chemical Properties

9.1. Information on the basic physical and chemical properties.

Physical State:	Solid
Appearance:	Dark Grey
Odor:	Oderless
Odor Threshold:	No data available
pH:	No data available
Evaporation Rate:	No data available
Melting Point:	5045 °C (9113 °F)
Freezing Point:	No data available
Boiling Point:	No data available
Flash Point:	No data available
Auto-Ignition Temperature:	No data available
Decomposition Temperature:	No data available
Flammability (solid, gas):	No data available
Vapor Pressure, mm Hg:	No data available
Relative Vapor Density at 20 °C:	No data available
Relative Density:	10 - 15 (water=1)
Solubility:	Insoluble
Partition Coefficient: N-Octanol/Water:	No data available
Viscosity:	No data available

9.2. Important health, safety and environmental information

No additional information available

SECTION 10. Stability and Reactivity

10.1. Reactivity:

Hazardous reactions will not occur under normal conditions.

10.2. Chemical stability:

Stable at standard temperature and pressure.

10.3. Possibility of Hazardous Reactions:

Hazardous polymerization will not occur.

10.4. Conditions to Avoid:

No additional information available.

10.5. Incompatible Materials:

Strong acids. Strong bases. Strong oxidizers. Contact of dust with strong oxidizers may cause fire or explosion.

10.6. Hazardous Decomposition Products:

Oxides of aluminum. Oxides of cobalt. Oxides of titanium. Oxides of tungsten. Carbon oxides (CO, CO₂).

SECTION 11. Toxicological Information

11.1. Information On Toxicological Effects Acute Toxicity: Not classified

Aluminum oxide (1344-28-1)	
LD50 Oral Rat	> 15900 mg/kg
LC50 Inhalation Rat	> 2.3 mg/l/4h
Chromium (7440-47-3)	
LD50 Oral Rat	> 5000 mg/kg
Cobalt (7440-48-4)	
LD50 Oral Rat	ACGIH TWA (mg/m ³)
LC50 Inhalation Rat	ACGIH chemical category
Nickel (7440-02-0)	
LD50 Oral Rat	> 9000 mg/kg
Molybdenum (7439-98-7)	
LD50 Oral Rat	> 2000 mg/kg
LD50 Dermal Rat	> 2000 mg/kg

Skin Corrosion/Irritation:

Not classified

Serious Eye Damage/Irritation:

Not classified

Respiratory or Skin Sensitization:

Not classified

Germ Cell Mutagenicity:

Not classified

Carcinogenicity:

Not classified

Chromium (7440-47-3)	
IARC group	3
Cobalt (7440-48-4)	
IARC group	2B
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.
Nickel (7440-02-0)	
IARC group	2B
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen.
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.

Reproductive Toxicity:

Not classified

Specific Target Organ Toxicity (Single Exposure):

Not classified

Specific Target Organ Toxicity (Repeated Exposure):

Not classified

Aspiration Hazard:

Not classified

Symptoms/Injuries After Inhalation:

Dust from this product may cause irritation to the respiratory tract.

Symptoms/Injuries After Skin Contact:

Dust may cause irritation in skin folds or by contact in combination with tight clothing.

Symptoms/Injuries After Eye Contact:

Eye contact with dust may cause mechanical irritation.

Symptoms/Injuries After Ingestion:

Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms:

None expected under normal conditions of use.

SECTION 12. Ecological Information

12.1. Toxicity

Aluminum oxide (1344-28-1)	
LC50 Fish 1	> 100 mg/l
EC50 Daphnia 1	> 100 mg/l
ErC50 (algae)	> 100 mg/l
NOEC (acute)	> 50 mg/l
Boron oxide (B2O3) (1303-86-2)	
EC50 Daphnia 1	370 - 490 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Nickel (7440-02-0)	
LC50 Fish 1	100 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)
EC50 Daphnia 1	13 (13 - 200) µg/l (Exposure time: 48h - Species: Ceriodaphnia dubia [static])
LC 50 Fish 2	1.3 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])
EC50 Daphnia 2	1 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 Other Aquatic Organisms 2	0.174 (0.174 - 0.311) mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata [static])

12.2. Persistence and Degradability:

No additional information available.

12.3. Bioaccumulative Potential

Cobalt (7440-48-4)	
BCF fish 1	(no bioaccumulation)

12.4. Mobility in Soil:

No additional information available..

12.5. Other Adverse Effects:

No additional information available.

SECTION 13. Disposal Considerations

13.1. Waste treatment methods.

Waste Disposal Recommendations::

Dispose of waste material in accordance with all local, regional, national, and international regulations

SECTION 14. Transport Information

14.1. In Accordance with DOT Not regulated for transport

14.2. In Accordance with IMDG Not regulated for transport

14.3. In Accordance with IATA Not regulated for transport

SECTION 15. Transport Information

15.1. U.S. Federal Regulations

Cobalt (7440-48-4)	
U.S. - California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of California to cause cancer.
Nickel (7440-02-0)	
U.S. - California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of California to cause cancer.
Aluminum oxide (1344-28-1)	
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S. - Pennsylvania - RTK (Right to Know) List	
Boron oxide (B2O3) (1303-86-2)	
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List	

Chromium (7440-47-3)
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances U.S. - Pennsylvania - RTK (Right to Know) List
Cobalt (7440-48-4)
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S. - Pennsylvania - RTK (Right to Know) List
Nickel (7440-02-0)
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances U.S. - Pennsylvania - RTK (Right to Know) List
Tungsten carbide (12070-12-1)
U.S. - New Jersey - Right to Know Hazardous Substance List
Zirconium (7440-67-7)
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List
Molybdenum (7439-98-7)
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

15.2. U.S. State Regulations

Cobalt (7440-48-4)	
U.S. - California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of California to cause cancer.
Nickel (7440-02-0)	
U.S. - California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of California to cause cancer.
Aluminum oxide (1344-28-1)	
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S. - Pennsylvania - RTK (Right to Know) List	
Boron oxide (B2O3) (1303-86-2)	
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List	
Chromium (7440-47-3)	
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances U.S. - Pennsylvania - RTK (Right to Know) List	

Cobalt (7440-48-4)
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S. - Pennsylvania - RTK (Right to Know) List
Nickel (7440-02-0)
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances U.S. - Pennsylvania - RTK (Right to Know) List
Tungsten carbide (12070-12-1)
U.S. - New Jersey - Right to Know Hazardous Substance List
Zirconium (7440-67-7)
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List
Molybdenum (7439-98-7)
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16. Other Information

Other Information:

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Acute Tox. 1 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 1
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Carc. 2	Carcinogenicity Category 2
Comb. Dust	Combustible Dust
Pyr. Sol. 1	Pyrophoric solids Category 1
Repr. 1B	Reproductive toxicity Category 1B
Repr. 2	Reproductive toxicity Category 2
Resp. Sens. 1B	Respiratory sensitisation Category 1B
Self-heat. 1	Self-heating substances and mixtures Category 1
Skin Sens. 1	Skin sensitization Category 1
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
Water-react. 1	Substances and mixtures which in contact with water emit flammable gases Category 1
H232	May form combustible dust concentrations in air
H250	Catches fire spontaneously if exposed to air

H251	ASelf-heating: may catch fire
H260	In contact with water releases flammable gases which may ignite spontaneously
H302	Harmful if swallowed
H317	May cause an allergic skin reaction
H330	Fatal if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H351	Suspected of causing cancer
H360	May damage fertility or the unborn child
H361	Suspected of damaging fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Distributed by

BencoDental[™]

800.GO.BENCO • BENCO.COM
295 CenterPoint Blvd, Pittston, PA 18640