

# SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010  
Dental Use

## iris Pit and Fissure Sealant (all shades)

### SECTION 1 : Identification of the substance/preparation and of the company/undertaking

**1.1. Product identifier:** 4006-844, 4006-853, 4006-861  
**Product code** : XA/73401, XB/13560, XR/56303, XT/10952  
**Product name** : OT Pit and Fissure Sealant (all shades)  
**Product description** : Light cure pit and fissure sealant and flowable composite

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses** : Professional Dental Pit and Fissure Sealant

### 1.3. Details of the supplier of the safety data sheet

**Manufacturer**

**Distributor**

### 1.4. Emergency telephone number

**CHEMTREC (NORTH AMERICA)** :(800) 424 - 9300  
**(INTERNATIONAL)** :+1(703) 527 - 3887

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Directive 1999/45/EC

: The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

**Danger symbols** Xi

**R phrases** : R36,R43

##### Classification according to Regulation (EC) No 1272/2008 [CLP]

**Health** : Eye Irritation  
Skin Irritation

#### 2.2. Label elements

##### Classification according to Directive 1999/45/EC

**Hazard pictogram(s)** : Xi



Irritant

**R&S statement(s)** : R36: Irritating to eyes.  
R43: May cause sensitization by skin contact.

## SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010  
Dental Use

### iris Pit and Fissure Sealant (all shades)

---

**Classification according to Regulation (EC) No 1272/2008 [CLP]****Hazard pictogram(s)**

Exclamation  
mark

**Signal Word**

:

WARNING

**Hazard statement(s)**

:

H317: May cause an allergic skin reaction.  
H319: Causes serious eye irritation.

**Precautionary statement(s)****Prevention**

:

P280: Wear protective gloves/protective clothing/eye protection/face protection.

**Response**

:

P305: IF IN EYES:  
P351: Rinse cautiously with water for several minutes.  
P337+P313: If eye irritation persists: Get medical advice/attention.  
P302+P352: IF ON SKIN: Wash with plenty of soap and water.  
P332+P313: If skin irritation occurs: Get medical advice/attention.

**Storage**

:

P273: Avoid release to the environment.

**Disposal**

:

P501: Dispose of in compliance with governmental regulation.(EC 1975L0442-10/11/2003)

**2.3. Other hazards****Immediate concerns**

:

None

**SECTION 3: Composition / information on ingredients****3.1. Substances**

Not Applicable

**3.2. Mixtures**

## SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010  
Dental Use

### iris Pit and Fissure Sealant (all shades)

Chemical Name	CAS	EINECS No.	Wt.%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No 1272/2008 [CLP]
Bis-GMA	1565-94-2	216-367-7	< 20	Xi; R36/37/38; R22	H315; H319; H317
Triethylene Glycol Dimethacrylate	109-16-0	203-652-6	< 20	Xi; R43	Not classified
Aluminum Oxide	1344-28-1	215-691-6	< 10	Xi; R36/37	Not classified
Sodium Monofluorophosphate	10163-15-2	233-433-0	< 1	T; R22; R38	Acute Tox. (O),Cat. 4; H302

For full text of H-statements and R-phrases: see SECTION 16.

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

- Following eyes** : Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.
- Following skin** : Wash with soap and water. Get medical attention if irritation develops or persists.
- Following ingestion** : If swallowed in small quantity the product is harmless, otherwise consult a doctor.
- Following inhalation** : No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms develop.

##### 4.2. Most important symptoms and effects, both acute and delayed

- Eyes** : Irritating to eyes.
- Skin** : May cause sensitization to skin.
- Ingestion** : May be harmful if swallowed in large quantities.
- Inhalation** : None expected for this product.

##### 4.3. Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Not Applicable

#### SECTION 5: Fire fighting measures

##### 5.1. Extinguishing media

- Extinguishing media** : Please see Fire Fighting Equipment under Section 5.3.

**SAFETY DATA SHEET**  
according to Regulation (EC) No. 453/2010  
Dental Use

**iris Pit and Fissure Sealant (all shades)**

**5.2. Special hazards arising from the substance or mixture**

- Hazardous combustion products** : None known.  
**Explosion hazards** : Not Determined  
**Fire explosion** : Not Determined  
**Sensitive to static discharge** : Not Determined  
**Sensitivity to impact** : Not Determined

**5.3. Advice for firefighters**

- Fire fighting procedures** : General: Evacuate all personnel; use protective equipment for fire-fighting. Use self-contained breathing apparatus when the product is involved in fire.  
**Fire fighting equipment** : Foam, dry chemical, carbon dioxide (CO<sub>2</sub>).

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

- General procedures** : Refer to Section 8 for Personal Protective Equipment.

**6.2. Environmental precautions**

- Water spill** : Do not allow to enter sewers or drains that may lead to waterways.

**6.3. Methods and material for containment and cleaning up**

- Small spill** : Clean up spills immediately, observing precautions in Protective Equipment section.  
**Large spill** : Absorb with inert, damp non-combustible material, then flush area with water.

**6.4. Reference to other sections**

- Reference to other sections** : Not Applicable

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

- Handling** : Use suitable protective equipment.  
**Storage** : See product labeling.

**7.2. Conditions for safe storage, including any incompatibilities**

- Shelf life** : See product labeling

**7.3. Specific end use(s)**

- Specific end use(s)** : Professional Dental Pit and Fissure Sealant

**SECTION 8: Exposure controls / personal protection**

**8.1. Control parameters**

- Control parameters** : Not Determined

# SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010  
Dental Use

**Date Issued** : 10/08/2007  
**SDS No** : 186-001.3  
**Date Revised** : 07/07/2015  
**Revision No** : 3

## OT Pit and Fissure Sealant (all shades)

### 8.2. Exposure controls

**Eye/face protection** : Wear eye protection  
**Skin protection** : Wear suitable protective clothing and gloves.  
**Respiratory protection** : Good general ventilation should be sufficient to control airborne levels.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**Physical state** : Liquid  
**Appearance** : Tinted Liquid  
**Colour** : Dependent upon color shade  
**Odour** : Acrylic

### 9.2. Other information

**Percent volatile** : Not Determined

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** : Stable

### 10.2. Chemical stability

**Chemical stability** : Stable when stored and handled under recommended conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous polymerization** : None

### 10.4. Conditions to avoid

**Conditions to avoid** : Avoid light exposure.

### 10.5. Incompatible materials

**Incompatible materials** : Not Determined

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** : None known.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute

**Notes** : Device is biocompatible when used as directed by dental professionals per ISO 10993-1.

## SECTION 12: Ecological information

### 12.1. Toxicity

**SAFETY DATA SHEET**  
 according to Regulation (EC) No. 453/2010  
 Dental Use

**Date Issued :** 10/08/2007  
**SDS No :** 186-001.3  
**Date Revised :** 07/07/2015  
**Revision No :** 3

**OT Pit and Fissure Sealant (all shades)**

**Aquatic toxicity (acute)**

**96-hour LC<sub>50</sub>** : Not Determined  
**48-hour EC<sub>50</sub>** : Not Determined  
**96-hour EC<sub>50</sub>** : Not Determined

**12.2. Persistence and degradability**

**Persistence and degradability** : Not Determined

**12.3. Bioaccumulative potential**

**Bioaccumulative potential** : Not Determined

**12.4. Mobility in soil**

**Mobility in soil** : Not Determined

**12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** : Not Determined

**12.6. Other adverse effects**

**Environmental data** : No data available.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal method** : Dispose of in compliance with governmental regulation.(EC 1975L0442-20/11/2003)

**SECTION 14: Transport information**

**14.1. UN number**

**UN number** : N/A

**14.2. UN proper shipping name**

**UN proper shipping name** : Not Dangerous Goods

**14.3. Transport hazard class(es)**

**Hazard classification** : N/A

**14.4. Packing group**

**Packing group** : N/A

**14.5. Environmental hazards**

**Marine pollutant #1** : N/A

**14.6. Special precautions for user**

**ADR - road** : Not Dangerous Goods  
**RID - rail** : Not Dangerous Goods  
**IMDG - sea** : Not Dangerous Goods  
**IATA - air** : Not Dangerous Goods

**SAFETY DATA SHEET**  
 according to Regulation (EC) No. 453/2010  
 Dental Use

**Date Issued :** 10/08/2007  
**SDS No :** 186-001.3  
**Date Revised :** 07/07/2015  
**Revision No :** 3

**OT Pit and Fissure Sealant (all shades)**

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

**Transport in bulk** : Not Dangerous Goods

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**RoHS** : Please refer to Medical Devices Directive 93/42/EEC

**15.2. Chemical safety assessment**

**Chemical safety assessment** : See Section 11

**Additional information** : This product is not considered dangerous for transportation

**SECTION 16: Other information**

**Relevant R-phrases and/or H-statements (number and full text)** : R22: Harmful if swallowed.  
 R36/37/38: Irritating to eyes, respiratory system and skin.  
 R36/37: Irritating to eyes and respiratory system.  
 R38: Irritating to skin.  
 R43: May cause sensitization by skin contact.  
 Acute Tox. (O), Cat. 4: Acute Toxicity (Oral), Category 4  
 H302: Harmful if swallowed.  
 H315: Causes skin irritation.  
 H317: May cause an allergic skin reaction.  
 H319: Causes serious eye irritation.

**Prepared by** : Anu Kattoju

**Revision summary** : This SDS replaces the 09/03/2014 SDS. Revised: **Section 1:** Date-Revised.

**General statements** : N/A= Not Applicable

**Manufacturer disclaimer** : FOR DENTAL USE ONLY: Use as directed. The information and recommendations are taken from sources (raw material SDS(s) and manufacturer's knowledge) believed to be accurate; however, the manufacturer, makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.