SAFETY DATA SHEET



1. Identification

Product identifier PARODONTAX TOOTHPASTE (WITH STANNOUS FLUORIDE)

Other means of identification

Synonyms MFC04676 PARODONTAX EXTRA FRESH * MFC04677 PARODONTAX CLEAN MINT *

MFC04678 PARODONTAX WHITENING * MFC04987 PARADONTAX / PARADONTAX COMPLETE PROTECTION (US) * MFC04988 PARADONTAX / PARADONTAX COMPLETE PROTECTION (US) * MFC04989 PARADONTAX / PARADONTAX COMPLETE PROTECTION (US) * MFC04990 PARADONTAX / PARADONTAX COMPLETE PROTECTION (US) * MFC04325 PARODONTAX COMPLETE PROTECTION * STANNOUS FLUORIDE, FORMULATED PRODUCT

Recommended use Oral Care

Recommended restrictions No other uses are advised. **Manufacturer/Importer/Supplier/Distributor information**

COMPANY NAME GlaxoSmithKline US
Address: 5 Moore Drive

Address: 5 Moore Drive

Research Triangle Park, NC 27709 USA +1-888-825-5249 (General Inquiries)

Email: msds@gsk.com Website: www.gsk.com

EMERGENCY CONTACTS

Telephone:

CHEMTREC EMERGENCY NUMBERS

Telephone: +(1) 703 527 3887 (International)

24/7; multi-language response

Contract Number: CCN9484

VERISK 3E GLOBAL INCIDENT RESPONSE

Telephone: +(1) 760 476 3971 (In country)

+(1) 760 476 3962 or +(1) 866 519 4752 (International)

24/7; multi-language response

Contract Number: 334878

2. Hazard(s) identification

Classified hazards

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

Label elements

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

Hazard(s) not otherwise classified (HNOC)

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
GLYCERIN	GLYCEROL GLYCERIN ANHYDROUS GLYCERINE GLYCERITOL GLYCYL ALCOHOL 1,2,3-PROPANETRIOL PROPANETRIOL GLYROL GLYSANIN TRIHYDROXYPROPANE 1,2,3-TRIHYDROXYPROPANE OSMOGLYN	56-81-5	55 - 60

Chemical name	Common name and synonyms	CAS number	%
POLYETHYLENE GLYCOL 400	PEG 400 ALPHA-HYDRO-OMEGA-HYDROXY-PO LY(OXY-1,2-ETHANEDIYL) PEG CARBOWAX POLYOXYETHYLENE 400 CARBOWAX POLYETHYLENE GLYCOL 400 CARBOWAX PEG 400 POLY(OXY-1,2-ETHANEDIYL),	25322-68-3	20
	ALPHAHYDROOMEGA. POLYETHYLENEGLYCOL 6000 ETHYLENE GLYCOL HOMOPOLYMER ETHYLENE GLYCOL POLYMER ETHYLENE OXIDE POLYMER ETHYLENE OXIDE, HOMOPOLYMER ETHYLENE POLYOXIDE		
SIDENT		7631-86-9	5 - 10
SODIUM TRIPOLYPHOSPHATE	TRIPHOSPHORIC ACID, PENTASODIUM SALT PENTASODIUM TRIPHOSPHATE PENTASODIUM TRIPOLYPHOSPHATE SODIUM TRIPHOSPHATE SODIUM POLYPHOSPHATE SODIUM PHOSPHATE	7758-29-4	5
SODIUM LAURYL SULPHATE	DODECYL SULFATE, SODIUM SALT SODIUM LAURYL SULPHATE LAURYL SULFATE SODIUM SALT	151-21-3	1 - 1.5
TITANIUM DIOXIDE	TITANIUM OXIDE TITANIUM(IV) OXIDE TITANIUM PEROXIDE (TIO2) PIGMENT WHITE 6	13463-67-7	1
FIRMENICH 510228T GREEN FORREST FLAVOUR		Mixture	0 - 1.3
SYMRISE OPTAMINT 722184		Mixture	0 - 1.3
FIRMENICH 896376 T FRUITY SPICE BLAST FLAVOR		Unassigned	0 - 1.25
FIRMENICH 510230T GALACTIC MINT FLAVOUR		Mixture	0 - 1.2
GIVAUDAN TP 16542 PARASOL EC		Unassigned	0 - 1.2
GIVAUDAN TP 16545 PYRAMID EC		Unassigned	0 - 1.2
GIVAUDAN TTP16543 RIBBEN EC		Mixture	0 - 1.2
OPTAMINT TWINKLE 913873		Unassigned	0 - 1.2
COCOAMIDOPROPYL BETAINE	COCOAMIDO BETAINE N-(COCO ALKYL) AMIDO PROPYL DIMETHYL BETAINE COCONUT OIL AMIDOPROPYL BETAIN E 1-PROPANAMINIUM, 3-AMINO-N-(CARBOXYMETHYL)-N,N-DI M 1-PROPANAMINIUM, 3-AMINO-N-(CARBOXYMETHYL)-N,N-DI METHYL-, N-COCO ACYL DERIVATIVES, HYDROXIDES, INNER SALTS 1-PROPANAMINIUM,3-AMINO-N-(CARB OXYMETHYL)-N,N-DIMETHYL-,N-COCO ACYL DERIVS.,HYDROXIDES,INNER SALTS	61789-40-0	<1
STANNOUS FLUORIDE	STANNOUS FLUORIDE TIN BIFLUORIDE	7783-47-3	0.454

4. First-aid measures

Move to fresh air. If breathing is difficult, trained personnel should give oxygen. Call a physician if Inhalation

symptoms develop or persist. Under normal conditions of intended use, this material is not

expected to be an inhalation hazard.

Immediately flush skin with plenty of water. Take off contaminated clothing and wash before reuse. Skin contact

Get medical attention if symptoms occur.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed, rinse mouth with water (only if the person is conscious). If ingestion of a large Ingestion

amount does occur, call a poison control center immediately. Do not induce vomiting without

advice from poison control center.

Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment needed

No specific antidotes are recommended. Treat according to locally accepted protocols. For additional guidance, refer to the current prescribing information or to the local poison control information center.

General information

In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take

precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water. Foam. Dry chemical powder. Carbon dioxide (CO2). None known.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

This product will support combustion at elevated temperatures.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up Use water spray to reduce vapors or divert vapor cloud drift. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes. Avoid prolonged exposure. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep away from heat, sparks and open flame. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Material name: PARODONTAX TOOTHPASTE (WITH STANNOUS FLUORIDE) 136713 Version #: 04 Revision date: 09-26-2018 Issue date: 04-19-2018

8. Exposure controls/personal protection

Occupational exposure limits

TRIPOLYPHOSPHATE (CAS 7758-29-4) US. OSHA Table Z-1 Limits for Air Contam Components GLYCERIN (CAS 56-81-5) TITANIUM DIOXIDE (CAS 13463-67-7) US. OSHA Table Z-2 (29 CFR 1910.1000) Components STANNOUS FLUORIDE (CAS 7783-47-3) US. OSHA Table Z-3 (29 CFR 1910.1000)	OHC OHC OHC Innants Type PEL PEL Type TWA	(29 CFR 1910.10	00)	1 2 1 Value 5 mg/m3 15 mg/m3 15 mg/m3	Form Respirable fraction. Total dust. Total dust.
SODIUM LAURYL SULPHATE (CAS 151-21-3) SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4) US. OSHA Table Z-1 Limits for Air Contam Components GLYCERIN (CAS 56-81-5) TITANIUM DIOXIDE (CAS 13463-67-7) US. OSHA Table Z-2 (29 CFR 1910.1000) Components STANNOUS FLUORIDE (CAS 7783-47-3) US. OSHA Table Z-3 (29 CFR 1910.1000)	OHC inants Type PEL PEL Type TWA	(29 CFR 1910.10	00)	1 Value 5 mg/m3 15 mg/m3	Respirable fraction. Total dust. Total dust.
	PEL PEL Type TWA	(29 CFR 1910.10		Value 5 mg/m3 15 mg/m3 15 mg/m3	Respirable fraction. Total dust. Total dust.
Components GLYCERIN (CAS 56-81-5) TITANIUM DIOXIDE (CAS 13463-67-7) US. OSHA Table Z-2 (29 CFR 1910.1000) Components STANNOUS FLUORIDE (CAS 7783-47-3) US. OSHA Table Z-3 (29 CFR 1910.1000)	Type PEL Type TWA	(29 CFR 1910.10		5 mg/m3 15 mg/m3 15 mg/m3	Respirable fraction. Total dust. Total dust.
TITANIUM DIOXIDE (CAS 13463-67-7) US. OSHA Table Z-2 (29 CFR 1910.1000) Components STANNOUS FLUORIDE (CAS 7783-47-3) US. OSHA Table Z-3 (29 CFR 1910.1000)	Type TWA			15 mg/m3 15 mg/m3	Total dust. Total dust.
13463-67-7) US. OSHA Table Z-2 (29 CFR 1910.1000) Components STANNOUS FLUORIDE (CAS 7783-47-3) US. OSHA Table Z-3 (29 CFR 1910.1000)	Type TWA			15 mg/m3	Total dust.
13463-67-7) US. OSHA Table Z-2 (29 CFR 1910.1000) Components STANNOUS FLUORIDE (CAS 7783-47-3) US. OSHA Table Z-3 (29 CFR 1910.1000)	Type TWA			Ū	
Components STANNOUS FLUORIDE (CAS 7783-47-3) US. OSHA Table Z-3 (29 CFR 1910.1000)	TWA			Value	Form
(CAS 7783-47-3) US. OSHA Table Z-3 (29 CFR 1910.1000)					Form
US. OSHA Table Z-3 (29 CFR 1910.1000) Components	Type			2.5 mg/m3	Dust.
	,,,			Value	Form
SIDENT (CAS 7631-86-9)	TWA			0.8 mg/m3	
				20 mppcf	
TITANIUM DIOXIDE (CAS 13463-67-7)	TWA			5 mg/m3	Respirable fraction.
				15 mg/m3	Total dust.
				50 mppcf	Total dust.
				15 mppcf	Respirable fraction.
US. ACGIH Threshold Limit Values Components	Туре			Value	
TITANIUM DIOXIDE (CAS 13463-67-7)	TWA			10 mg/m3	
US. NIOSH: Pocket Guide to Chemical Haz	zards				
Components	Туре			Value	
SIDENT (CAS 7631-86-9)	TWA			6 mg/m3	
US. Workplace Environmental Exposure L Components	evel (V Type	VEEL) Guides		Value	Form
POLYETHYLENE GLYCOL 400 (CAS 25322-68-3)	TWA			10 mg/m3	Particulate.
ogical limit values					
ACGIH Biological Exposure Indices Components Value		Determinant	Specimen	n Sampling	Time
STANNOUS FLUORIDE 3 mg/l (CAS 7783-47-3)		Fluoride	Urine	*	
2 mg/l		Fluoride	Urine	*	
* - For sampling details, please see the source	ce docu	ıment.			
osure guidelines					
ropriate engineering General venti rols	lation r	normally adequate			

Individual protection measures, such as personal protective equipment

Eve/face protection Not normally needed. If contact is likely, safety glasses with side shields are recommended.

Skin protection

Hand protection Not normally needed. For prolonged or repeated skin contact use suitable protective gloves.

Other Not normally needed. Wear suitable protective clothing as protection against splashing or

contamination.

Respiratory protection No personal respiratory protective equipment normally required. Use a NIOSH/MSHA approved

respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. For advice on suitable monitoring methods, seek guidance from a qualified environment, health and safety professional.

9. Physical and chemical properties

Appearance

Physical state Liquid. Form Paste.

Color Not available.

Odor Not available.

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials. Keep away from heat, sparks and open flame.

Incompatible materials

Strong oxidizing agents. Fluorine. Chlorine.

Hazardous decomposition products

None known. Irritating and/or toxic fumes and gases may be emitted upon the product's

decomposition.

11. Toxicological information

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Health injuries are not known or expected under normal use.

Eye contact Health injuries are not known or expected under normal use. Direct contact with eyes may cause

temporary irritation.

Ingestion Health injuries are not known or expected under normal use. May be harmful if swallowed.

However, ingestion is not likely to be a primary route of occupational exposure.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Components Species Test Results

COCOAMIDOPROPYL BETAINE (CAS 61789-40-0)

Acute Oral

LD50 Mouse > 2000 mg/kg

GLYCERIN (CAS 56-81-5)

<u>Acute</u>

Oral

LD50 Rat > 2000 mg/kg

POLYETHYLENE GLYCOL 400 (CAS 25322-68-3)

Acute Oral

LD50 Ra

Rat 30.2 g/kg

SODIUM LAURYL SULPHATE (CAS 151-21-3)

Acute Oral

LD50 Rat 1288 mg/kg

SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4)

Acute

Oral

LD50 Rat 3120 mg/kg

TITANIUM DIOXIDE (CAS 13463-67-7)

Acute

Inhalation

LC50 Rat 6820 mcg/m3

Oral

LD50 Rat > 24 g/kg

Chronic

Inhalation LOEC

OEC Rat 8.6 mg/m3, 1 years TiO2 accumulated in

interstitial macrophages, aggregated interstitial cells and particle laden macrophrages in lymphoid tissue.

Components	Species	Test Results
NOAEC	Rat	250 mg/m3, 2 years Highest dose
		5 mg/m3, 24 months
<u>Subacute</u>		
Inhalation		
LOEL	Rat	0.1 - 35 mg/m3, 4 weeks Mild macrophage hyperplasia, no change in bronchio-alveolar lavage fluid.
NOAEC	Guinea pig	26 mg/m3, 3 weeks No evidence of significant inflammation in respiratory tract.
Oral		
NOAEL	Rat	100000 ppm, 14 Day Dietary study, highest dose tested.
<u>Subchronic</u>		
Inhalation		
LOEC	Rat	3.2 - 20 mg/m3, 8 min Accumulation of TiO2 in macrophages and evidence of pulmonary inflammation.

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation

Health injuries are not known or expected under normal use.

Irritation Corrosion - Skin

TITANIUM DIOXIDE 0, Literature data

Result: Non-irritant Species: Guinea pig 0, Literature data Result: Non-irritant Species: Human

Acute dermal irritation; OECD 404, Literature data

Result: Non-irritant Species: Rabbit

Serious eye damage/eye

irritation

Health injuries are not known or expected under normal use. Direct contact with eyes may cause

temporary irritation.

Eye

TITANIUM DIOXIDE OECD 405, Literature data

Result: Mild irritant Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization No studies have been conducted.

Skin sensitization None known. This product is not expected to cause skin sensitization.

Sensitization

TITANIUM DIOXIDE 5 % Optimisation Test, Literature data - Vehicle: petrolatum

Result: Negative Species: Guinea pig

Test Duration: 48 hour exposure Patch test, Literature data

Result: Negative Species: Human

Germ cell mutagenicity Health injuries are not known or expected under normal use.

Mutagenicity

TITANIUM DIOXIDE Ames, Literature data

Result: Negative

Micronucleus Assay in vitro, CHO cells, Literature data

Result: Negative

Micronucleus Assay in vitro, cultured human peripheral

lymphocytes, Literature data

Result: Positive

Syrian Hamster Embryo (SHE) cell transformation assay

Result: Negative

Mutagenicity

TITANIUM DIOXIDE WIL2-NS HPRT/ t-Thioguanidine - Human B-Cell

lymphoblastoid, Literature data

Result: Positive

Carcinogenicity Carcinogenic effects are not expected as a result of occupational exposure. Contains a material

(titanium dioxide) classified as a carcinogen by external agencies. These effects are linked only to

high doses of this substance; lower doses did not cause this adverse effect.

TITANIUM DIOXIDE 0.5 mg/m3, Literature data

Result: Negative Species: Rat

Test Duration: 24 months

0.72 - 14.8 mg/m3, Literature data

Result: Negative Species: Mouse

10 - 250 mg/m3, Dietary study - Literature data.

Result: Inflammation at all doses with alveolar/bronchiolar

adenoma at the highest concentration.

Species: Rat

Test Duration: 24 months

25000 - 50000 ppm, Dietary study - Literature data.

Result: Negative Species: Rat

25000 - 50000 ppm, Dietary study

Result: Negative Species: Mouse

7.2 - 14.8 mg/m3, Literature data

Result: Lung tumour Species: Rat

Test Duration: 24 months

IARC Monographs. Overall Evaluation of Carcinogenicity

SIDENT (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

STANNOUS FLUORIDE (CAS 7783-47-3)
3 Not classifiable as to carcinogenicity to humans.
TITANIUM DIOXIDE (CAS 13463-67-7)
2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity -

single exposure

Not assigned.

Specific target organ toxicity -

repeated exposure

Not assigned.

Aspiration hazard Not established.

Chronic effects Prolonged inhalation may be harmful.

Further information Occupational exposure to the substance or mixture may cause adverse effects.

12. Ecological information

Ecotoxicity Contains a substance which causes risk of hazardous effects to the environment.

Components		Species	Test Results
COCOAMIDOPROPY	L BETAINE (CAS 6	1789-40-0)	
Aquatic			
Acute			
Algae	EC50	Green algae (Scenedesmus subspicatus)	0.55 mg/l, 96 hours
	NOEC	Green algae (Scenedesmus subspicatus)	0.09 mg/l, 96 hours
Crustacea	EC50	Water flea (Daphnia magna)	6.5 mg/l, 48 hours
	NOEC	Water flea (Daphnia magna)	1.6 mg/l, 48 hours
Fish	EC50	Zebra fish (Adult Brachydanio rerio)	2 mg/l, 96 hours semi-static test conditions

Material name: PARODONTAX TOOTHPASTE (WITH STANNOUS FLUORIDE) 136713 Version #: 04 Revision date: 09-26-2018 Issue date: 04-19-2018

Components		Species	Test Results
	NOEC	Zebra fish (Adult Brachydanio rerio)	1.7 mg/l, 96 hours semi-static test conditions
Microtox	MIC	Pseudomonas	> 3000 mg/l, 16 hours
Chronic			
Crustacea	LOEC	Water flea (Daphnia magna)	3.6 mg/l, 21 days
	NOEC	Water flea (Daphnia magna)	0.9 mg/l, 21 days
POLYETHYLENE GLY	COL 400 (CAS 25	322-68-3)	
Aquatic	,	,	
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	53000 mg/l, 48 hours
Fish	EC50	Fathead minnow (Adult Pimephales promelas)	87000 mg/l, 96 hours
Microtox	EC50	Microtox	100000 mg/l, 15 minutes
SIDENT (CAS 7631-86	-9)		
Aquatic	,		
Acute			
Crustacea	NOEC	Water flea (Daphnia magna)	> 10000 mg/l, 24 hours
Fish	NOEC	Zebra fish (Adult Brachydanio rerio)	> 10000 mg/l, 96 hours
SODIUM LAURYL SUL	PHATE (CAS 151	-21-3)	
Aquatic	,	,	
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	5.4 mg/l, 48 hours Static test
Fish	EC50	Rainbow trout (Adult Oncorhyncus mykiss)	4.6 mg/l, 96 hours Flow-through test
Chronic			
Algae	NOEC	Green algae (Desmodesmus subspicatus)	30 mg/l, 72 hours
Crustacea	NOEC	Ceriodaphnia dubia	0.88 mg/l, 7 days Flow-though Test
Fish	NOEC	Fathead minnow (Pimephales promelas)	3.8 mg/l, 28 days Flow-through test
SODIUM TRIPOLYPHO	OSPHATE (CAS 7)	758-29-4)	
Acute			
	IC50	Activated sludge	> 1000 mg/l, 3 hours
Aquatic			
Acute			
Algae	EC50	Algae	60 - 120 mg/l
Crustacea	EC50	Water flea (Daphnia magna)	1089 mg/l, 50 hours
Fish	EC50	Golden ide/orfe (Adult Leuciscus idus)	1650 mg/l, 48 hours
		Orange-red killfish (Adult Oryzias latipes)	590 mg/l, 48 hours Static test
TITANIUM DIOXIDE (C	AS 13463-67-7)		
Aquatic	•		
Fish	LC50	Mummichog (Fundulus heteroclitus)	> 1000 mg/l, 96 hours
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours Static test

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Biodegradability

Percent degradation (Aerobic biodegradation-inherent)

COCOAMIDOPROPYL BETAINE

 $97\ \%,\,28$ days Modified Zahn-Wellens, DOC removal., Activated sludge

Biodegradability

Percent degradation (Aerobic biodegradation-inherent)

COCOAMIDOPROPYL BETAINE 99 %, 28 days Modified Zahn-Wellens, DOC removal.,

Activated sludge

POLYETHYLENE GLYCOL 400 40.2 - 70 %, 20 Days BOD20

Percent degradation (Aerobic biodegradation-ready)

COCOAMIDOPROPYL BETAINE

100 %, 20 Days Modified Sturm test., Activated sludge

84 %, 30 days Closed bottle test, Activated sludge

95 % OECD 301 B SODIUM LAURYL SULPHATE

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

GLYCERIN -1.76 SODIUM LAURYL SULPHATE 1.6

Not available. Mobility in soil Mobility in general Not available. Other adverse effects Not available.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not **Disposal instructions**

discharge into drains, water courses or onto the ground. Dispose in accordance with all applicable

regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions). Avoid discharge into water courses or onto the ground.

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as a dangerous good.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Yes

Material name: PARODONTAX TOOTHPASTE (WITH STANNOUS FLUORIDE) 136713 Version #: 04 Revision date: 09-26-2018 Issue date: 04-19-2018

Classified hazard categories

Acute toxicity (any route of exposure) Serious eye damage or eye irritation Respiratory or skin sensitization

Carcinogenicity

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

GLYCERIN (CAS 56-81-5)

Other Flavoring Substances with OSHA PEL's

US state regulations

California Proposition 65



WARNING: WARNING: This product contains a chemical known to the State of California to cause cancer.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Inventory name

TITANIUM DIOXIDE (CAS 13463-67-7) Listed: September 2, 2011

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

TITANIUM DIOXIDE (CAS 13463-67-7)

International Inventories

Taiwan

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

(. .ee

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

No

No

On inventory (yes/no)*

16. Other information, including date of preparation or last revision

 Issue date
 04-19-2018

 Revision date
 09-26-2018

Version # 04

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 1*

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

Material name: PARODONTAX TOOTHPASTE (WITH STANNOUS FLUORIDE) 136713 Version #: 04 Revision date: 09-26-2018 Issue date: 04-19-2018

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

References GSK Hazard Determination

Disclaimer The information and recommendations in this safety data sheet are, to the best of our knowledge,

accurate as of the date of issue. Nothing herein shall be deemed to create any warranty, express or implied. It is the responsibility of the user to determine the applicability of this information and

the suitability of the material or product for any particular purpose.

Revision information Product and Company Identification: Synonyms

Identification: Recommended restrictions

Hazard(s) identification: Disposal

Hazard(s) identification: Hazard(s) not otherwise classified (HNOC)

Hazard(s) identification: Supplemental information Composition / Information on Ingredients: Ingredients

Handling and storage: Conditions for safe storage, including any incompatibilities

Material name: PARODONTAX TOOTHPASTE (WITH STANNOUS FLUORIDE) 136713 Version #: 04 Revision date: 09-26-2018 Issue date: 04-19-2018